

## 检测报告

编号: SZXEC25001999010

日期: 2025 年 06 月 16 日

第 1 页, 共 16 页

客户名称: 深圳扬兴科技有限公司

客户地址: 深圳市龙华区民治街道民塘路 385 号汇德大厦 1 号楼 19 层

样品名称: 陶瓷贴片晶体谐振器 YSX530GA

型号: 5032

客户参考信息: YSX320GA 3225

以上样品及信息由客户提供。

SGS 工作编号: SZP25-028217

样品接收时间: 2025 年 06 月 06 日

检测周期: 2025 年 06 月 06 日 ~ 2025 年 06 月 12 日

检测要求: 根据客户要求检测

检测方法: 见后续页。

检测结果: 见后续页。

检测要求	结论
欧盟 RoHS 指令 2011/65/EU 附录 II 的修正指令(EU) 2015/863-铅、汞、镉、六价铬、多溴联苯 (PBB)、多溴二苯醚 (PBDE)、邻苯二甲酸二(2-乙基己基)酯 (DEHP)、邻苯二甲酸丁苄酯 (BBP)、邻苯二甲酸二丁酯 (DBP)和邻苯二甲酸二异丁酯 (DIBP)	符合
AfPS GS 2019:01 PAK-多环芳香烃 (PAHs)	见检测结果
卤素	见检测结果
元素分析	见检测结果
全氟辛酸(PFOA)及其盐和全氟辛烷磺酸(PFOS)及其衍生物	见检测结果

通标标准技术服务有限公司深圳分公司 授权签名

贝瑞瑞

May Bei 贝瑞瑞

批准签署人

Scan to see the report



C2BBAC65

SGS-CTI Standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bao'an District, Shenzhen, Guangdong, China 518129 [www.sgs.com](http://www.sgs.com)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编: 518129 t: (86-755) 25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 检测报告

编号: SZXEC25001999010

日期: 2025 年 06 月 16 日

第 2 页, 共 16 页

## 检测结果:

## 检测部件外观描述:

样品序号	样品编号	SGS 样品 ID	样品描述
SN1	A3	SZX25-0019990-0001.C003	"陶瓷贴片晶体谐振器 YSX530GA"

## 备注:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = 方法检出限
- (3) ND = 未检出 (< MDL)
- (4) "-" = 未规定

欧盟 RoHS 指令 2011/65/EU 附录 II 的修正指令(EU) 2015/863-铅、汞、镉、六价铬、多溴联苯 (PBB)、多溴二苯醚 (PBDE)、邻苯二甲酸二(2-乙基己基)酯 (DEHP)、邻苯二甲酸丁苄酯 (BBP)、邻苯二甲酸二丁酯 (DBP)和邻苯二甲酸二异丁酯 (DIBP)

检测方法: 参考 IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017 和 IEC 62321-12:2023, 采用 ICP-OES/AAS, UV-Vis 和 GC-MS 进行分析。

检测项目	限值	单位	MDL	A3
铅 (Pb)	1000	mg/kg	2	58092 <sup>▲</sup>
汞 (Hg)	1000	mg/kg	2	ND
镉 (Cd)	100	mg/kg	2	ND
六价铬 (Cr(VI))	1000	mg/kg	8	ND
多溴联苯之和 (PBB)	1000	mg/kg	-	ND
一溴联苯 (MonoBB)	-	mg/kg	25	ND
二溴联苯 (DiBB)	-	mg/kg	25	ND
三溴联苯 (TriBB)	-	mg/kg	25	ND
四溴联苯 (TetraBB)	-	mg/kg	25	ND
五溴联苯 (PentaBB)	-	mg/kg	25	ND
六溴联苯 (HexaBB)	-	mg/kg	25	ND
七溴联苯 (HeptaBB)	-	mg/kg	25	ND
八溴联苯 (OctaBB)	-	mg/kg	25	ND
九溴联苯 (NonaBB)	-	mg/kg	25	ND
十溴联苯 (DecaBB)	-	mg/kg	25	ND
多溴二苯醚之和 (PBDE)	1000	mg/kg	-	ND
一溴二苯醚 (MonoBDE)	-	mg/kg	25	ND
二溴二苯醚 (DiBDE)	-	mg/kg	25	ND
三溴二苯醚 (TriBDE)	-	mg/kg	25	ND
四溴二苯醚 (TetraBDE)	-	mg/kg	25	ND
五溴二苯醚 (PentaBDE)	-	mg/kg	25	ND
六溴二苯醚 (HexaBDE)	-	mg/kg	25	ND
七溴二苯醚 (HeptaBDE)	-	mg/kg	25	ND
八溴二苯醚 (OctaBDE)	-	mg/kg	25	ND



SGS-CTI Standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t:(86-755) 25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 检测报告

编号: SZXEC25001999010

日期: 2025 年 06 月 16 日

第 3 页, 共 16 页

检测项目	限值	单位	MDL	A3
九溴二苯醚 (NonaBDE)	-	mg/kg	25	ND
十溴二苯醚 (DecaBDE)	-	mg/kg	25	ND
邻苯二甲酸二(2-乙基己基)酯 (DEHP)	1000	mg/kg	50	ND
邻苯二甲酸丁苄酯 (BBP)	1000	mg/kg	50	ND
邻苯二甲酸二丁酯 (DBP)	1000	mg/kg	50	ND
邻苯二甲酸二异丁酯 (DIBP)	1000	mg/kg	50	ND

## 备注:

(1) 最大允许限值引用自 RoHS 指令(EU) 2015/863。

(2) IEC 62321 系列等同于 EN 62321 系列。

(3) 2021 年 7 月 22 号开始, DEHP, BBP, DBP 和 DIBP 的限制适用于医疗器械, 包括体外医疗器械, 监控仪表, 包括工业监测和控制仪器。

(4) "#"= 超过限值

(5) 备注 ▲: 根据客户提供的声明, 铅(Pb)被欧盟 RoHS 指令 2011/65/EU 豁免, 相应豁免条文(请以英文原文为准) |ANNEX III 7(c)-I|: 电子电气元件中玻璃或陶瓷材料(电容中陶瓷介质除外)所含的铅, 如压电设备、玻璃或陶瓷基复合元件。

更多豁免相关信息, 可以从以下链接获取:

<https://rohs.sgsonline.com.cn/PDFLinks/zh-cn/RSTS-TP-037%20RoHS%20Exemption%20%28CN%29.pdf>

## AfPS GS 2019:01 PAK-多环芳香烃 (PAHs)

检测方法: 参考 AfPS GS 2019:01 PAK, 采用 GC-MS 进行分析。

检测项目	CAS No.	单位	MDL	A3
苯并(a)芘 (BaP)	50-32-8	mg/kg	0.1	ND
苯并(e)芘 (BeP)	192-97-2	mg/kg	0.1	ND
苯并(a)蒽 (BaA)	56-55-3	mg/kg	0.1	ND
苯并(b)荧蒽 (BbF)	205-99-2	mg/kg	0.1	ND
苯并(j)荧蒽 (BjF)	205-82-3	mg/kg	0.1	ND
苯并(k)荧蒽 (BkF)	207-08-9	mg/kg	0.1	ND
蒽 (CHR)	218-01-9	mg/kg	0.1	ND
二苯并(a,h)蒽 (DBA)	53-70-3	mg/kg	0.1	ND
苯并(g,h,i)苝(二苯并苯) (BPE)	191-24-2	mg/kg	0.1	ND
茚并(1,2,3-c,d)苝 (IPY)	193-39-5	mg/kg	0.1	ND
菲 (PHE)	85-01-8	mg/kg	0.1	ND
芘 (PYR)	129-00-0	mg/kg	0.1	ND
蒽 (ANT)	120-12-7	mg/kg	0.1	ND
荧蒽 (FLT)	206-44-0	mg/kg	0.1	ND
4 项多环芳香烃总和[菲 (PHE), 芘 (PYR), 蒽 (ANT), 荧蒽 (FLT)]	-	mg/kg	-	ND
萘 (NAP)	91-20-3	mg/kg	0.1	ND
15 项多环芳香烃总和	-	mg/kg	-	ND
材料分类	-	-	-	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编: 518129 t: (86-755) 25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 检测报告

编号: SZXEC25001999010

日期: 2025 年 06 月 16 日

第 4 页, 共 16 页

备注:

AfPS(德国产品安全委员会): 认证对多环芳香烃的要求

参数 单位: mg/kg	1 类	2 类		3 类	
	设计意图为放入口中的材料, 或与皮肤长期接触 (超过 30 秒) 的材料用于 -2009/48/EC 定义的玩具, 或 -供 3 岁以下儿童 a,b 使用。	不属于第 1 类, 设计意图或可预见 <sup>d</sup> 与皮肤长期接触 (超过 30 秒) 或短期重复接触 <sup>c</sup> 的材料		不属于第 1 和 2 类, 设计意图或可预见与皮肤短期接触 (不超过 30 秒) 材料	
		a. 供儿童使用的产品	b. 其他产品	a. 供儿童使用的产品	b. 其他产品
苯并(a)芘 (BaP)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(e)芘 (BeP)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(a)蒽 (BaA)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(b)荧蒽 (BbF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(j)荧蒽 (BjF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(k)荧蒽 (BkF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
蒽 (CHR), mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
二苯并(a,h)蒽 (DBA)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(g,h,i)花(二苯嵌苯) (BPE)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
茚并(1,2,3-c,d)芘 (IPY)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
菲 (PHE), 芘 (PYR), 蒽 (ANT), 荧蒽 (FLT)	< 1 (总和)	< 5 (总和)	< 10 (总和)	< 20 (总和)	< 50 (总和)
萘 (NAP)	< 1	< 2		< 10	
15 PAH 之和	< 1	< 5	< 10	< 20	< 50

注释:

a 儿童是指法定年龄未满 14 周岁的人。

b 供儿童使用包括儿童的主动接触或被动接触。

c “短期重复接触”的定义摘自 REACH 附录 XVII 第 50 条修正案 ( (EC) No. 1272/2013)。

d 根据德国产品安全法 (ProdSG) (第一章第 2 条第 28 款) 的定义, “可预见的使用”是指将产品投放市场的人无意但可以合理预见的方式使用产品。

备注:

德国产品安全委员会 (AfPS) 于 2020 年 4 月 10 日发布了关于多环芳香烃 (PAHs) 的新文件 (AfPS GS 2019:01 PAK), 该文件将于 2020 年 7 月 1 日起用于 GS-MARK 认证。

## 卤素

检测方法: 参考 EN 14582:2016, 采用 IC 进行分析。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Room 101-901, Plant 4 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com](http://www.sgs.com)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编:518129 t:(86-755) 25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



## 检测报告

编号: SZXEC25001999010

日期: 2025 年 06 月 16 日

第 5 页, 共 16 页

检测项目	单位	MDL	A3
氟 (F)	mg/kg	20	65
氯 (Cl)	mg/kg	50	ND
溴 (Br)	mg/kg	50	ND
碘 (I)	mg/kg	50	ND

## 元素分析

检测方法: 参考 US EPA 3052:1996, 采用 ICP-OES/AAS 进行分析。

检测项目	单位	MDL	A3
铍(Be)	mg/kg	5	ND
铈(Sb)	mg/kg	10	ND

## 全氟辛酸(PFOA)及其盐和全氟辛烷磺酸(PFOS)及其衍生物

检测方法: 优化的 EN 17681-1:2022, 采用 LC-MS 或 LC-MS/MS 进行分析。

检测项目	CAS No.	单位	MDL	A3
<b>PFOS 及其盐和相关物质</b>				
全氟辛烷磺酸 (PFOS), 及其盐 <sup>1</sup>	1763-23-1	mg/kg	0.010	ND
N-乙基全氟辛烷磺酰胺 (N-EtFOSA)	4151-50-2	mg/kg	0.010	ND
N-甲基全氟辛烷磺酰胺 (N-MeFOSA)	31506-32-8	mg/kg	0.010	ND
2- (N-乙基全氟辛基磺酰胺)乙醇 (N-EtFOSE)	1691-99-2	mg/kg	0.010	ND
2- (N-甲基全氟辛基磺酰胺)乙醇 (N-MeFOSE)	24448-09-7	mg/kg	0.010	ND
全氟辛基磺酰胺 (PFOSA), 及其盐 <sup>1</sup>	754-91-6	mg/kg	0.010	ND
N-(全氟-1-辛烷磺酰基)甘氨酸 (FOSAA), 及其盐 <sup>1</sup>	2806-24-8	mg/kg	0.010	ND
N-甲基-N-(全氟-1-辛烷磺酰基)甘氨酸 (N-MeFOSAA), 及其盐 <sup>1</sup>	2355-31-9	mg/kg	0.010	ND
N-乙基-N-(全氟-1-辛烷磺酰基)甘氨酸 (N-EtFOSAA), 及其盐 <sup>1</sup>	2991-50-6	mg/kg	0.010	ND
全氟辛烷磺酸 (PFOS)及其衍生物	-	mg/kg	-	ND
<b>PFOA, 及其盐</b>				
全氟辛酸 (PFOA), 及其盐 <sup>1</sup>	335-67-1	mg/kg	0.010	ND

## 备注:

1. <sup>1</sup>物质是指附表中列出的盐/衍生物。

物质名称	CAS No.
<b>PFOS, 及其盐&amp;衍生物</b>	
全氟辛烷磺酸(PFOS)	1763-23-1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com](http://www.sgs.com)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编:518129 t:(86-755)25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 检测报告

编号: SZXEC25001999010

日期: 2025 年 06 月 16 日

第 6 页, 共 16 页

全氟辛基磺酸钾(PFOS-K)	2795-39-3
全氟辛基磺酸锂(PFOS-Li)	29457-72-5
全氟辛基磺酸钠(PFOS-Na)	4021-47-0
全氟辛基磺酸铵(PFOS-NH <sub>4</sub> )	29081-56-9
全氟辛基磺酸二乙醇铵(PFOS-NH <sub>2</sub> (C <sub>2</sub> H <sub>4</sub> OH) <sub>2</sub> )	70225-14-8
全氟辛基磺酸四乙基铵(PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )	56773-42-3
全氟辛基磺酸二癸二甲基铵(PFOS-N(C <sub>10</sub> H <sub>21</sub> ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> )	251099-16-8
全氟辛基磺酸四丁基铵(PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )	111873-33-7
全氟辛基磺酰氟(PFOS-F)	307-35-7
双[十七氟辛烷磺酸]镁(PFOS-Mg)	91036-71-4
全氟辛烷磺酸哌啶	71463-74-6
全氟辛烷磺酸盐	45298-90-6
全氟辛烷磺酸三乙基铵(PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> )	54439-46-2
全氟辛烷磺酸四甲基铵(PFOS-N(CH <sub>3</sub> ) <sub>4</sub> )	56773-44-5
N, N,N-三丙基戊烷-1-七氟辛烷-1-磺酸铵(PFOS-N(C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> (C <sub>5</sub> H <sub>11</sub> ))	56773-56-9
N,N-二丁基-N-甲基丁烷-1-胺十七氟辛烷-1-磺酸酯(PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> (CH <sub>3</sub> ))	124472-68-0
双[4-(1,1-二甲基乙基)苯基]-碘鎓与全氟-1-辛烷磺酸的盐(1:1)	213740-80-8
全氟-1-辛烷磺酸二苯基(2,4,6-三甲基苯基)鎓	258341-99-0
全氟-1-辛烷磺酸 1-十六烷基吡啶鎓	334529-63-4
N,N,N-三乙基癸-1-胺十七氟辛烷-1-磺酸盐	773895-92-4
全氟辛烷磺酸四丁基磷 (PFOS-P (C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )	2185049-59-4
全氟辛基磺酸二乙胺 (PFOS-C <sub>4</sub> H <sub>11</sub> N)	2205029-08-7
全氟辛基磺酸庚基二甲基-[2-(2-甲基丙-2-烯酰氧基)乙基]胺 (PFOS-C <sub>15</sub> H <sub>30</sub> NO <sub>2</sub> )	1203998-97-3
全氟辛基磺酸酐(PFOSAN)	423-92-7
<b>FOSAA, 及其盐</b>	
N-(全氟-1-辛烷磺酰基)甘氨酸(FOSAA)	2806-24-8



SGS-CSI Standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com](http://www.sgs.com)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编:518129 t:(86-755) 25328888 sgs.china@sgs.com

## 检测报告

编号: SZXEC25001999010

日期: 2025 年 06 月 16 日

第 7 页, 共 16 页

全氟辛烷磺酰氨基乙酸盐 (FOSAA(anion))	909405-47-6
全氟辛烷磺酰氨基乙酸钾 (FOSAA-K)	75260-69-4
全氟辛烷磺酰氨基乙酸钠 (FOSAA-Na)	115716-87-5
<b>N-MeFOSAA, 及其盐</b>	
N-甲基-N-(全氟-1-辛烷磺酰基)甘氨酸 (N-MeFOSAA)	2355-31-9
N-(十七氟辛基磺酰基)-N-甲基甘氨酸盐 (N-Me-FOSAA(anion))	909405-48-7
N-(十七氟辛基磺酰基)-N-甲基甘氨酸钾 (N-Me-FOSAA-K)	70281-93-5
<b>N-EtFOSAA, 及其盐</b>	
N-乙基-N-(全氟-1-辛烷磺酰基)甘氨酸(N-EtFOSAA)	2991-50-6
N-乙基-N-[(十七烷氟辛基)磺酰基]-甘氨酸钾盐 (N-Et-FOSAA-K)	2991-51-7
N-乙基-N-((十七氟辛基)磺酰基)甘氨酸盐 (N-Et-FOSAA(anion))	909405-49-8
N-乙基-N-((十七氟辛基)磺酰基)甘氨酸铵 (N-Et-FOSAA-NH <sub>4</sub> )	2991-52-8
N-乙基-N-((十七氟辛基)磺酰基)甘氨酸钠 (N-Et-FOSAA-Na)	3871-50-9
<b>PFOSA, 及其盐</b>	
全氟辛基磺酰胺(PFOSA)	754-91-6
全氟辛基磺酰胺锂盐(1:1)(PFOSA-Li)	76752-79-9
全氟辛基磺酰胺钠盐 (1:1) (PFOSA-Na)	76752-78-8
全氟辛基磺酰胺钾盐 (1:1) (PFOSA-K)	76752-70-0
全氟辛基磺酰胺铵盐 (1:1) (PFOSA-NH <sub>4</sub> )	76752-72-2
全氟辛基磺酰胺三乙胺 (PFOSA-C <sub>6</sub> H <sub>15</sub> N)	76752-82-4
<b>PFOA, 及其盐&amp;衍生物</b>	
全氟辛酸(PFOA)	335-67-1
全氟辛酸钠(PFOA-Na)	335-95-5
全氟辛酸钾(PFOA-K)	2395-00-8
全氟辛酸银(PFOA-Ag)	335-93-3
全氟辛酰氟(PFOA-F)	335-66-0



SGS-standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t:(86-755) 25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 检测报告

编号: SZXEC25001999010

日期: 2025 年 06 月 16 日

第 8 页, 共 16 页

全氟辛酸铵(APFO)	3825-26-1
全氟辛酸锂(PFOA-Li)	17125-58-5
全氟辛酸钴(PFOA-Co)	35965-01-6
全氟辛酸铯(PFOA-Cs)	17125-60-9
全氟辛酸铬(3+) (PFOA-Cr(3+))	68141-02-6
全氟辛酸-哌嗪(2:1) (PFOA-NH(C <sub>4</sub> H <sub>10</sub> N))	423-52-9
全氟辛酸盐	45285-51-6
全氟辛酸酐	33496-48-9
全氟辛酸四乙基胺	98241-25-9
全氟辛酸四甲基胺	32609-65-7
全氟辛酸四丙基胺	277749-00-5
全氟辛酸钾水合物 (PFOA-K(H <sub>2</sub> O) <sub>2</sub> )	98065-31-7
全氟辛酸乙胺 (PFOA-C <sub>2</sub> H <sub>7</sub> N)	1376936-03-6
全氟辛酸吡啶 (PFOA-C <sub>5</sub> H <sub>5</sub> N)	95658-47-2
全氟辛酸苯基哌嗪 (PFOA-C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> )	1514-68-7
全氟辛酸辛基三甲基铵 (PFOA-C <sub>11</sub> H <sub>26</sub> N)	927835-01-6

除非另有说明, 参照 ILAC-G8:09/2019, 使用简单接受 ( $w=0$ ) 的二元判定规则进行符合性判定。  
除非另有说明, 此报告结果仅对检测的样品负责。本报告未经本公司书面许可, 不可部分复制。  
检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的, 仅供内部参考。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS- Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编:518129 t:(86-755) 25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)




## 元素检测流程图


样品按照下述流程被完全消解



## 六价铬检测流程图



## PBB/PBDE/Phthalates 检测流程图




SGS-CSI Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Room 101-901, Plant 4 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com](http://www.sgs.com)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编:518129 t:(86-755) 25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## PAHs 检测流程图



SGS-Standard Technical Services Co., Ltd.  
Shenzhen Branch


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com](http://www.sgs.com)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编:518129 t:(86-755) 25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)




## 卤素检测流程图



## 元素检测流程图



## PFASs/ PFOS/PFOA 检测流程图




## 检测报告

编号: SZXEC25001999010

日期: 2025 年 06 月 16 日

第 16 页, 共 16 页

样品照片:



此照片仅限于随 SGS 正本报告使用

\*\*\*报告结束\*\*\*



SGS-Standard Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编:518129 t:(86-755) 25328888 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)